

HOT WATER COMFORT, JUST THE WAY YOU LIKE IT.











Ariston Group, Italy is a global leader in sustainable thermal comfort that offers a unique, extensive range of solutions for hot water, space heating and air treatment, as well as components and burners. Listed on Euronext Milan since November 2021, in 2023 the Group reported almost 3.1-billion-euro revenue, with over 10,000 employees, direct presence in 40 countries in 5 continents, 29 production sites and 29 research and development centers.

The Group demonstrates its commitment to sustainability through the development of renewable and high efficiency solutions, such as heat pumps, water heating heat pumps, hybrids, domestic ventilation, air handling and solar thermal systems. The Group also stands out for its continuous investment in technological innovation, digitalization, and advanced connectivity systems.

Operating under prominent global strategic brands such as Ariston, Elco, and Wolf, as well as renowned brands like Calorex, NTI, HTP, Chaffoteaux, Atag, Brink, Chromagen, Racold, Thermowatt and Ecoflam in the components and burners sector, the Group solidifies its presence across diverse markets.





Your comfort your way

Racold is one of the most trusted brands of India (as awarded by Marksmen Daily) 2025 and one of India's largest providers of water heating solutions, leading the industry for over 60 years.

A fully owned subsidiary of the Ariston Group – Italy the world leaders in water and environmental heating solutions, Racold brings international heritage and path-breaking technologies to India. Enhancing not only the aesthetics and performance, but the quality, safety, efficiency, and durability of the products as well.

Being the only brand in the water heating category that has won the prestigious BEE award, an astounding 10 times, Racold has set the standard for energy efficiency within the category.

Racold is the only brand in the category to be selected as a Superbrand in 2019, 2021, 2023, 2024 and 2025. Our expertise is due to the unwavering commitment of our workforce to keep reimagining water heating as per your needs. So, for a quality water heating experience, look no further because the hot water experts are here.









HOT WATER COMFORT, JUST THE WAY YOU LIKE IT.

Born from the house of Ariston, the global leaders in thermic comfort and energy efficient heating solutions. Racold draws from a worldwide heritage making us the world's preferred partner in delivering the most energy efficient and renewable heating solutions.





Delivering breakthrough innovation, quality water heating solutions, and complete customer satisfaction for over 60 years.

Awarded 10 times by the Bureau of Energy Efficiency from 2010 - 2020, we place energy efficiency at the heart of our sustainable growth strategy and are deeply committed to energy conservation.





Racold Water Heaters have multiple measures of safety against high temperature and pressure. Our water heaters have a range of features that ensure thermal stability and safety for children and adults alike.



HOT WATER COMFORT, JUST THE WAY YOU LIKE IT.



STAY ASSURED FOR 7 YEARS

Our 7-Year warranty is a special commitment to provide only the highest standard in water heating to you. We want you to be assured and have complete peace of mind when you choose Racold.

Racold is the only brand in the water heating category to be selected as a Superbrand for 2019, 2021, 2023, 2024 & 2025. It's a testimony to our continuous efforts and deep commitment to creating products that resonate with our customers.



Selected Superbrand



Always At Your Service Our network of more than 1000 service technicians and over 400 service centers across the country are always at your service for any assistance. With our 24X7 WhatsApp Chatbot services and Customer Care services, it's very easy to reach out to us.

OUR BEST-IN-CLASS INNOVATIONS



VOICE CONTROL

Connect your water heater to Alexa or Google Assistant and control it using voice commands. Simply say "Alexa, turn on the geyser".

AUTO DIAGNOSIS

The microprocessor in the water heater continuously monitors and cuts off power in case of any malfunction, protecting you from any shocks or mishaps.





DIGITAL TOUCH CONTROL

Experience precise water temperature as per your need with the help of easy-to-control digital touch panel.

AUTO POWER OFF

Schedule your water heater to turn off automatically at a pre-set time for added convenience and energy saving.





ADVANCED TITANIUM

Made from 100% titanium, the revolutionary heating element delivers unmatched performance, anti-corrosion strength, and lasting durability. Enjoy peace of mind with an exclusive 7-year warranty on the heating element.

SILVER ION TECHNOLOGY

The advanced technology effectively reduces bacterial growth, ensuring safe and healthy hot water.





OUR BEST-IN-CLASS INNOVATIONS



TITANIUM PLUS TECHNOLOGY

The titanium enamel coating in the tank prevents corrosion by handling even the toughest water conditions, providing reliable and healthy water for years to come.

QUICK HEATING

Elevate your showers with Quick Heating! The powerful 2.5kW heating element delivers an experience of 3kW output, ensuring faster heating with energy savings.





CHILDREN CARE MODE

The children care function maintains and regulates water temperature to ensure safety against skin burn for seamless use, even for children.

CONSISTENT WARMTH#

No fluctuation in temperature for a seamless bathing experience.





MULTI-POINT USAGE#

Suitable for simultaneous use in multiple bathrooms and kitchens.

INTELLIGENT CONTROLLER

Easily set the temperature and schedule shower timings with the intelligent controller.





STORAGE



PREMIUM



Omnis Slim



Omnis R

LARGE



Platinum NXT

SOLAR





INSTANT

SIGNATURE



Altro i +



Altro i/DN

COMFORT



Pronto Neo DN



Pronto Neo

GAS



ECO

TANKLESS



Aures PRO 24 kW



Aures PRO 13 kW



Aures Multi 7.6/6.5 kW



Aures Multi 5.5/5 kW

HEAT PUMP



Heat Pump Domestic



OMNIS SLIM Wi-Fi

RETHINK EXCELLENCE

The new Omnis Slim Wi-Fi brings true innovation to you. Elevate your home experience with efficient quick heating, 100% made to last advanced titanium heating element, all within a stylish Italian design. Smart connectivity brings you absolute convenience with voice-enabled control and in-app functionalities.



SIGNATURE STORAGE





Available in







VOICE CONTROL*

Connect your water heater to Alexa or Google Assistant and control it using voice commands. Simply say "Alexa, turn on the geyser".



AUTO DIAGNOSIS

The microprocessor in the water heater continuously monitors and cuts off power in case of any malfunction, protecting you from any shocks or mishaps.



QUICK HEATING

Elevate your showers with Quick Heating! The powerful 2.5kW heating element delivers an experience of 3kW output, ensuring faster heating with energy savings.



ADVANCED TITANIUM

Made from 100% titanium, the revolutionary heating element delivers unmatched performance, anti-corrosion strength, and lasting durability. Enjoy peace of mind with an exclusive 7-year warranty on the heating element.



RACOLD NET APP

Control your water heater from anywhere, anytime. Turn it On/Off, set the temperature, or schedule a shower for later. Simply log in to the Racold NET App and enjoy convenience at your fingertips.

PRODUCT DIMENSIONS ——

CAPACITY	LENGTH (mm)	HEIGHT (mm)	DEPTH (mm)
25 Litres	678	358	358

----- WARRANTY (YEARS) ------

Product 2 Heating Element 7 Tank 7

TECHNICAL SPECIFICATIONS —

Voltage (Volts) 230 Max. Rate Pressure (Bar) 8 Power (kW) 2.5



OMNIS DG Wi-Fi

RETHINK CONVENIENCE

Control has never looked so good. Adjust and set your Omnis water heater with smart features like Voice Control - compatible with Alexa and Google Assistant. Take complete control of your bathing experience from anywhere with the intelligent Racold NET App.



SIGNATURE STORAGE







Available in






RACOLD NET APP

Control your water heater from anywhere, anytime. Turn it On/Off, set the temperature, or schedule a shower for later. Simply log in to the Racold NET App and enjoy convenience at your fingertips.



AUTO DIAGNOSIS

The microprocessor in the water heater continuously monitors and cuts off power in case of any malfunction, protecting you from any shocks or mishaps.



VOICE CONTROL*

"Alexa, turn on the geyser".



TITANIUM PLUS TECHNOLOGY

The titanium enamel coating in the tank and heating element prevents corrosion by handling even the toughest water conditions, providing reliable and healthy water for years to come.



SILVER ION TECHNOLOGY

The advanced technology effectively reduces bacterial growth, ensuring safe and healthy hot water.

PRODUCT DIMENSIONS

L L	CAPACITY	LENGTH (mm)	HEIGHT (mm)	DEPTH (mm)
H	15 Litres	400	400	340
	25 Litres	447	447	401

----- WARRANTY (YEARS) ------

Product 2 Heating Element 4 Tank 7

TECHNICAL SPECIFICATIONS —

Voltage (Volts) 230 Max. Rate Pressure (Bar) 8 Power (kW) 2



OMNIS DG

RETHINK CONTROL

Convenient Digital Touch Control enables easy setting of the temperature while also maintaining safety and efficiency with intelligent auto diagnosis and auto power off, giving you the smoothest shower experience possible.



SIGNATURE STORAGE





Available in



Black Sandstorm Gold





DIGITAL **TOUCH CONTROL**

Experience precise water temperature as per your need with the help of easy-to-control digital touch panel.



AUTO POWER OFF

Schedule your water heater to turn off automatically at a pre-set time for added convenience and energy saving.



AUTO DIAGNOSIS

The microprocessor in the water heater continuously monitors and cuts off power in case of any malfunction, protecting you from any shocks or mishaps.



TITANIUM PLUS **TECHNOLOGY**

The titanium enamel coating in the tank and heating element prevents corrosion by handling even the toughest water conditions, providing reliable and healthy water for years to come.



SILVER ION TECHNOLOGY

The advanced technology effectively reduces bacterial growth, ensuring safe and healthy hot water.

PRODUCT DIMENSIONS

<u>. L</u>	CAPACITY	LENGTH (mm)	HEIGHT (mm)	DEPTH (mm)
H	10 Litres	400	400	292
	15 Litres	400	400	340
	25 Litres	447	447	401

WARRANTY (YEARS)

Product Heating Element Tank

TECHNICAL SPECIFICATIONS

Voltage (Volts) 230 Max. Rate Pressure (Bar) Power (kW) 2



OMNIS SLIM RETHINK CONVENIENCE

Experience the perfect blend of Italian design and advanced features with Titanium Plus technology, 25%* faster heating than conventional water heaters, and energy efficiency that gives you unmatched performance with durability. With the convenience of its intuitive shower ready light, paired with Children Care mode that provides safety for your family, the new Omnis Slim is a perfect fit for any modern home.

PREMIUM STORAGE



Available in







SPACE SAVING

A compact and utilitarian design for urban bath spaces.



TITANIUM PLUS TECHNOLOGY

The Titanium Enamel Coating in the tank and heating element prevents corrosion by handling even the toughest water conditions, providing reliable and healthy water for years to come.



FASTER HEATING

Say goodbye to running out of hot water quickly! Enjoy faster heating and consistent hot water with high powered heating element.



CHILDREN CARE MODE

The children care function maintains and regulates water temperature to ensure safety against skin burn for seamless use, even for children.



SAFETY PLUS

Enhanced protection with 3 layers of safety with thermostat, cutout and safety valve for a worry-free hot water bathing experience.

- PRODUCT DIMENSIONS -

CAPACITY	LENGTH (mm)	HEIGHT (mm)	DEPTH (mm)
 15 Litres	590	316	326
25 Litres	678	358	365

WARRANTY (YEARS)

Product Heating Element Tank

TECHNICAL SPECIFICATIONS

Voltage (Volts) 230 Max. Rate Pressure (Bar) Power (kW) 2.5



OMNIS R

RETHINK DESIGN

Designed exquisitely in Italy, the modern and advanced Omnis R combines essential safety features like Children Care Mode with better control to enhance protection for your family and elevate your bathing experience.



Your comfort your way

PREMIUM STORAGE





Available in







ITALIAN DESIGN

Designed in Italy, it exudes a rare combination of technology and style.



TITANIUM PLUS **TECHNOLOGY**

The titanium enamel coating in the tank prevents corrosion by handling even the toughest water conditions, providing reliable and healthy water for years to come.



SAFETY PLUS

Enhanced protection with 3 layers of safety with thermostat, cutout and safety valve for a worry-free hot water bathing experience.



CHILDREN CARE MODE

The children care function maintains and regulates water temperature to ensure safety against skin burn for seamless use, even for children.



FLEXOMIX FOR **CONSISTENT HOT WATER**

Get consistent hot water output for long showers.

- PRODUCT DIMENSIONS -

<u>. L</u>	CAPACITY	LENGTH (mm)	HEIGHT (mm)	DEPTH (mm)
H	10 Litres	400	400	292
	15 Litres	400	400	340
	25 Litres	447	447	401

WARRANTY (YEARS)

Product	2	Heating Element	4*	Tank	7
		_			

TECHNICAL SPECIFICATIONS

Voltage (Volts)	230	Max. Rate Pressure (Bar)	8	Power (kW)	2
-----------------	-----	--------------------------	---	------------	---



COMFORT STORAGE







CDR DLX PLUS

RETHINK CONTROL

With a Temperature Control Knob + Temperature Display, CDR DLX Plus is made for higher efficiency and durability with better control. Its 5-star energy efficiency rating, Titanium Plus Technology, wide range of capacities, and advanced safety features make it the right choice for your bathroom.

Available in White with Grey dome





KNOB+ **TEMPERATURE** DISPLAY

Get better control by viewing the water temperature on the display unit and adjusting it as per your warm water requirement using the knob.



SAFETY PLUS

Enhanced protection with 3 layers of safety with a thermostat, cutout and safety valve for a worry-free hot water bathing experience.



MAGNESIUM ANODE

The water heater now comes with a bigger anode that prevents corrosion of the inner tank and thus extends its life.



TITANIUM PLUS TECHNOLOGY

The titanium enamel coating in the tank prevents corrosion by handling even the toughest water conditions, providing reliable and healthy water for years to come.



HPR TECHNOLOGY

The sturdy tank enables it to withstand high pressure, making it suitable for high-rise buildings.

- PRODUCT DIMENSIONS

H	H	
	-	l

CAPACITY	LENGTH (mm) (V/H)	HEIGHT (mm) (V/H)	DEPTH (mm) (V/H)
10 Litres [^]	320/450	450/320	330/330
15 Litres [^]	320/570	570/320	330/330
25 Litres [^]	367/831	533/320	375/330
35 Litres	367/675	675/367	375/375

V: Vertical, H: Horizontal **WARRANTY (YEARS)**

Heating Element Tank **Product**

TECHNICAL SPECIFICATIONS

Voltage (Volts) 230 Max. Rate Pressure (Bar) Power (kW)



COMFORT STORAGE



CDR DLX

RETHINK PERFORMANCE

Its superior pressure withstanding power, wide capacity & color options, and loft-friendly horizontal range makes CDR DLX the perfect 5-star rated heating solution.







Available in White with Grey dome Vory with Sandstorm Gold dome



TITANIUM PLUS **TECHNOLOGY**

The titanium enamel coating in the tank prevents corrosion by handling even the toughest water conditions, providing reliable and healthy water for years to come.



RUST PROOF BODY

A rust proof body acts against corrosion ensuring a longer life of the product and increasing aesthetics.



HPR TECHNOLOGY

The sturdy tank enables it to withstand high pressure, making it suitable for high-rise buildings.



SAFETY PLUS

Enhanced protection with 3 layers of safety with a thermostat, cutout and safety valve for a worry-free hot water bathing experience.



MAGNESIUM ANODE

The water heater now comes with a bigger anode that prevents corrosion of the inner tank and thus extends its life.

PRODUCT DIMENSIONS

H L	CAPACITY	LENGTH (mm) (V/H)	HEIGHT (mm) (V/H)	DEPTH (mm) (V/H)
	10 Litres [^]	320/450	450/320	330/330
	15 Litres [^]	320/570	570/320	330/330
	25 Litres [^]	367/831	533/320	375/330
	35 Litres	367/675	675/367	375/375

V: Vertical, H: Horizontal

WARRANTY (YEARS)

Product	2	Heating Element	3#	Tank	7

TECHNICAL SPECIFICATIONS

Voltage (Volts)	230	Max. Rate Pressure (Bar)	8	Power (kW)	2



COMFORT STORAGE



CDR SWIFT

RETHINK FASTER HEATING

A marvel of compact design with high priority given to efficiency, faster heating and safety, the CDR Swift water heater comes with the innovative Titanium Plus Technology that ensures better durability, made to fit any urban bathing space.



Available in White with Grey Dome







33% FASTER **HEATING**#

Say goodbye to running out of hot water quickly! Enjoy faster heating and consistent hot water with high powered heating element



TITANIUM PLUS **TECHNOLOGY**

The titanium enamel coating in the tank prevents corrosion by handling even the toughest water conditions, providing reliable and healthy water for years to come.



SAFETY PLUS

Enhanced protection with 3 layers of safety with a thermostat, cutout and safety valve for a worry-free hot water bathing experience.



MAGNESIUM ANODE

The water heater now comes with a bigger anode that prevents corrosion of the inner tank and thus extends its life.



HPR TECHNOLOGY

The sturdy tank enables it to withstand high pressure, making it suitable for high-rise buildings.

- PRODUCT DIMENSIONS

	L		100
H			н
	— ji	D	

CAPACITY	LENGTH (mm) (V/H)	HEIGHT (mm) (V/H)	DEPTH (mm) (V/H)
6 Litres [^]	290/405	405/290	300/300
10 Litres [^]	320/450	450/320	330/330
15 Litres**	320	570	330
25 Litres**	367	533	375

V: Vertical, H: Horizontal

WARRANTY (YEARS)

Product	2	Heating Element	3^^	Tank	7

TECHNICAL SPECIFICATIONS

Voltage (Volts)	230	Max. Rate Pressure (Bar)	8	Power (kW)	3





WATER HEATERS *≅*

RACOLD ADVANTAGES



Italian heritage from the house of Ariston, Italy



5 star rated products for best in class energy efficiency




Stay assured with 7 years warranty



Always at your service with 24/7 WhatsApp chatbot support

Racold Water Heaters are available in:

Electric Storage | Electric Instant | Tankless Instant | Gas Instant | Solar | Heat Pump



PLATINUM NXT

RETHINK STORAGE

With a large storage capability and surprisingly compact design, all of your family's hot water needs are covered with a single water heater. Best-in-class safety and durability ensure your little ones are always looked after.



LARGE STORAGE





Available in

LARGE CAPACITY

Larger capacities come in compact designs with smaller heights.



White with Grey dome

KNOB + TEMPERATURE DISPLAY

Get better control by viewing the water temperature on the display unit and adjusting it as per your warm water requirement using the knob.



33%* FASTER HEATING

Say goodbye to running out of hot water quickly! Enjoy faster heating and consistent hot water with high powered heating element.



TITANIUM PLUS TECHNOLOGY


The titanium enamel coating in the tank and heating element prevents corrosion by handling even the toughest water conditions, providing reliable and healthy water for years to come.



CHILDREN CARE MODE

The children care function maintains and regulates water temperature to ensure safety against skin burn for seamless use, even for children.

PRODUCT DIMENSIONS



CAPACITY	LENGTH (mm) (V/H)	HEIGHT (mm) (V/H)	DEPTH (mm) (V/H)
50 Litres	496/632	632/496	521/521
70 Litres	496/806	806/496	521/521
100 Litres	496/1039	1039/496	521/521

- WARRANTY (YEARS)

V: Vertical, H: Horizontal

Product	2	Heating Element	3	Tank	7

- TECHNICAL SPECIFICATIONS —


Voltage (Volts) 230 N	Max. Rate Pressure (Bar) 8	Power (kW)	3
-----------------------	----------------------------	------------	---



ALTRO i+ RETHINK SPEED AND CONTROL

Customise different temperature modes for the kitchen or bathroom use with your Altro i+ water heater. Exquisitely designed with a Smart LED Ring and Temperature Setting Knob to conveniently adjust to your instant hot water needs.

















SMART LED RING

Don't keep guessing if your hot water is ready! The Smart LED Ring is Red when the water is heating, and turns Blue once its ready to use.



SAFETY PLUS

Enhanced protection with 3 layers of safety with a thermostat, cutout and safety valve for a worry-free hot water bathing experience.



FASTER HEATING

Say goodbye to running out of hot water quickly! Enjoy faster heating and consistent hot water with high powered heating element.



CUSTOMIZED APPLICATION

Conveniently switch between bath and kitchen mode for optimal heating for your intended use. This unique feature helps save energy, thereby saving you money.



ITALIAN DESIGN

Designed in Italy, it exudes a rare combination of technology and style.

PRODUCT DIMENSIONS -

1 L	CAPACITY	LENGTH (mm)	HEIGHT (mm)	DEPTH (mm)
н Д	3 Litres	215	377	220
	6 Litres	269	471	274

WARRANTY (YEARS)

Product Heating Element Tank

TECHNICAL SPECIFICATIONS

Voltage (Volts) 230 Max. Rate Pressure (Bar)

6.5

Power (kW) Altro i+ (3L: 3 & 4.5) | (6L: 3)



ALTRO i**/ DN# RETHINK SPEED AND STYLE

The Altro water heater is designed to be exceptionally aesthetic, superior and durable. It delivers instant hot water and elevates any modern bathing space.









Available in Grey rings



DURONOX FOR HARD WATER*

Prevents tank corrosion and leakage with its specially treated high-grade stainless steel tank that can withstand hard water.



SAFETY PLUS

Enhanced protection with 3 layers of safety with a thermostat, cutout and safety valve for a worry-free hot water bathing experience.



FASTER HEATING

Say goodbye to running out of hot water quickly! Enjoy faster heating and consistent hot water with high powered heating element.



ANODE FOR LONG LIFE*

Aluminium Anode protects the tank from corrosion by forming a layer of Aluminium on the inner tank.



ITALIAN DESIGN

Designed in Italy, it exudes a rare combination of technology and style.

- PRODUCT DIMENSIONS -

L	CAPACITY	LENGTH (mm)	HEIGHT (mm)	DEPTH (mm)
H (D	1 Litre	172	302	177
	3 Litres	215	377	220

WARRANTY (YEARS)

Product Heating Element Tank

TECHNICAL SPECIFICATIONS

Voltage (Volts) 230 Max. Rate Pressure (Bar) Power (kW) | Altro i - 3 & 4.5 | DN - 3



COMFORT INSTANT



PRONTO NEO*/DN**

RETHINK DURABILITY

The elegantly designed Pronto Neo redefines instant heating. With High Pressure Resistance, hard water application and Auto Cut Off functionality, Pronto Neo is the perfect amalgamation of technology, style and safety.





Available only in 5L, except Mumbai market.



FASTER HEATING

Say goodbye to running out of hot water quickly! Enjoy faster heating and consistent hot water with high powered heating element.



SAFETY PLUS

Enhanced protection with 3 layers of safety with a thermostat, cutout and safety valve for a worry-free hot water bathing experience.



HPR TECHNOLOGY

The sturdy tank enables it to withstand high pressure, making it suitable for high-rise buildings.



NO BACK FLOW

Prevents the backflow of water to protect the heating element from any damage due to dry heating.



DURONOX FOR HARD WATER#

Prevents tank corrosion and leakage with its specially treated high-grade stainless steel tank that can withstand hard water.

PRODUCT DIMENSIONS

CAPACITY	LENGTH (mm)	HEIGHT (mm)	DEPTH (mm)
1 Litre	175	281	172
3 Litres	209	335	205
5 Litres	270	428	253

WARRANTY (YEARS)

Product Heating Element Tank

TECHNICAL SPECIFICATIONS

Voltage (Volts) 230 Max. Rate Pressure (Bar) 6.5 Power (kW) 3(1L/3L/5L) / 4.5(1L/3L)



TANKLESS INSTANT






AURES PRO 24kW

RETHINK INSTANT HEATING

Experience uninterrupted hot water from multiple outlets instantly. The No Wait Water Heater with a sleek digital control, provides lightning fast heating. This is the ultimate water heater.







LIGHTNING FAST HEATING

High powered heating element that provides hot water instantaneously.



CONSISTENT WARMTH

No fluctuation in temperature for a seamless bathing experience.



MULTI-POINT USAGE

Suitable for simultaneous use in multiple bathrooms and kitchens.



CONTINUOUS HOT WATER

Experience uninterrupted hot water no matter how long you choose to bathe.



DIGITAL DISPLAY

Sleek digital panel for temperature reading & touch panel to control the temperature.

PRODUCT DIMENSIONS

POWER (kW)	LENGTH (mm)	HEIGHT (mm)	DEPTH (mm)	WIRE THICKNESS (sq. mm)
24	526	356	138	6 (3-phase)

---- WARRANTY (YEARS) -----

Product 2

- TECHNICAL SPECIFICATIONS —

Voltage (Volts) 400-415 Max. Rate Pressure (Bar) 10 Power (kW) 24



AURES PRO 13kW

RETHINK INSTANT HEATING

Experience lightning fast heating with digital temperature display. Get ultimate control for your uninterrupted hot water at multiple outlets instantly with the No Wait Water Heater.



TANKLESS INSTANT







Available in





LIGHTNING FAST HEATING

High powered heating element that provides hot water instantaneously.



CONSISTENT WARMTH

No fluctuation in temperature for a seamless bathing experience.



MULTI-POINT USAGE

Suitable for simultaneous use in multiple bathrooms and kitchens.



CONTINUOUS HOT WATER

Experience uninterrupted hot water no matter how long you choose to bathe.



DIGITAL DISPLAY

Sleek digital panel for temperature reading & touch panel to control the temperature.

- PRODUCT DIMENSIONS -

POWER (kW)	LENGTH (mm)	HEIGHT (mm)	DEPTH (mm)	WIRE THICKNESS (sq. mm)
13	284	363	123	4 (3-phase)

- WARRANTY (YEARS) -

Product 2

TECHNICAL SPECIFICATIONS

Voltage (Volts) 400 Max. Rate Pressure (Bar) 10 Power (kW) 13



AURES MULTI 7.6 kW/6.5 kW

RETHINK INSTANT HEATING

Your Aures 7.6kW/6.5kW brings you instant and continuous hot water at multiple ports for your bathroom and kitchen needs, experience lightning-fast heating in your modern living space.



TANKLESS INSTANT





Available in



Black



LIGHTNING FAST **HEATING**

High powered heating element that provides hot water instantaneously.



SUPER COMPACT & LIGHTWEIGHT DESIGN

Utilitarian design for urban bath spaces with a super compact build that takes the least space on your wall.



MULTI-POINT USAGE

Suitable for simultaneous use in multiple bathrooms and kitchens.



CONTINUOUS HOT WATER

Experience uninterrupted hot water no matter how long you choose to bathe.



CONSISTENT WARMTH

No fluctuation in temperature for a seamless bathing experience.

PRODUCT DIMENSIONS

L	POWER (kW)	LENGTH (mm)	HEIGHT (mm)	DEPTH (mm)	WIRE THICKNESS (sq. mm)
, D	7.6	304	180	110	6 (single phase)
	6.5	304	180	110	4 (single phase)

- WARRANTY (YEARS) -

Product

TECHNICAL SPECIFICATIONS

Voltage (Volts) Max. Rate Pressure (Bar) 220-230 Power (kW) 7.6 / 6.5



AURES MULTI 5.5 kW/5 kW

RETHINK INSTANT HEATING

Your Aures 5.5kW/5kW brings you instant and continuous hot water at multiple ports for your bathroom and kitchen needs, experience lightning-fast heating in your modern living space.



Your comfort your way

TANKLESS INSTANT







LIGHTNING FAST **HEATING**

High powered heating element that provides hot water instantaneously.



SUPER COMPACT & LIGHTWEIGHT DESIGN

Utilitarian design for urban bath spaces with a super compact build that takes the least space on your wall.



MULTI-POINT USAGE

Suitable for simultaneous use in multiple bathrooms and kitchens.



CONTINUOUS HOT WATER

Experience uninterrupted hot water no matter how long you choose to bathe.



CONSISTENT WARMTH

No fluctuation in temperature for a seamless bathing experience.

PRODUCT DIMENSIONS

L	POWER (kW)	LENGTH (mm)	HEIGHT (mm)	DEPTH (mm)	WIRE THICKNESS (sq. mm)
. D.	5.5	304	180	110	4 (single phase)
	5	304	180	110	2.5 (single phase)

- WARRANTY (YEARS) -

Product

TECHNICAL SPECIFICATIONS

Voltage (Volts) 220-230 Max. Rate Pressure (Bar) Power (kW) 5.5 / 5



HEAT PUMP



RETHINK SUSTAINABILITY

A sustainable water heating solution with quick heating that saves upto 70%* power compared to conventional water heaters. It only uses electricity to transfer heat from one place to another and not to generate heat thereby saving energy. This sustainable water heater is a one-time investment for a lifetime of saving.





Available in





70%* **POWER SAVING**

A sustainable innovation saves upto 70%* energy by using electricity to transfer heat from one place to another and not to generate heat.

Voltage (Volts)



QUICK HEATING

With this option, the heat pump water heater will work on both Heat Pump and Heating Element mode, giving you instant hot water.



HIGH EFFICIENCY **COMPRESSOR**

This heat pump water heater ensures faster heat exchange, more hot water and increased savings.



INTELLIGENT CONTROLLER

Easily set the temperature and schedule shower timings with the intelligent controller.



TITANIUM PLUS **TECHNOLOGY**

The titanium enamel coating in the tank prevents corrosion by handling even the toughest water conditions, providing reliable and healthy water for years to come.

- PRODUCT DIMENSIONS -

CAPACITY (L)	TANK LENGTH X HEIGHT (mm)	COMPRESSOR LENGTH X HEIGHT X DEPTH (mm)
200	1716 X 500	850 X 300 X 543
300	1655 X 620	850 X 300 X 543
500	1820 X 733	975 X 420 X 603

- WARRANTY (YEARS) -

Product Compressor **Tank**

TECHNICAL SPECIFICATIONS

220-230

Max. Rate Pressure (Bar)



GAS INSTANT



ECO (LPG/PNG)

RETHINK SAFETY

Equipped with Child-Lock, Double Solenoid Valve, and an Oxygen Depleting Sensor* for all round safety for your family. You can even conveniently adjust and view the water temperature with the Digital Display*.



Available in White





DOUBLE SOLENOID VALVE

Advanced feature that delivers twice the safety with two solenoid valves.

Power Supply



CHILD-LOCK

This vital feature safeguards against accidents and ensures maximum safety for your children.



3V DC

WINTER/SUMMER FUNCTION

Easily adjust the temperature according to the weather. It controls the input of gas flow and rate of heating to give you an uninterrupted shower experience.

- PRODUCT DIMENSIONS -

CAPACITY	LENGTH (mm)	HEIGHT (mm)	DEPTH (mm)
6 LPM	300	440	133

- WARRANTY (YEARS) -

Product

TECHNICAL SPECIFICATIONS

Max. Rate Pressure (Bar)*

Heat Input (kW)



SOLAR



OMEGA MAX 8

RETHINK SUSTAINABILITY

This sustainable yet stylish water heater ensures renewable and dependable performance. Its state-of-the-art features include MAX 8, which ensures a high pressure withstanding capacity making this solar water heater not only energy efficient, but suitable for pressurised applications as well.

Available in





MAX 8 PRESSURE

High pressure withstanding capacity (up to 8 bar) makes this solar water geyser suitable for pressurized applications.



DURONOX FOR HARD WATER

Prevents tank corrosion and leakage with its specially treated high-grade stainless steel tank that can withstand hard water.



MAGNESIUM ANODE

The water heater comes with an anode that prevents corrosion of the inner tank and thus extends its life.



RUST PROOF BODY

A rust proof body acts against corrosion ensuring a longer life of the product and increasing aesthetics.



MULTIFUNCTION SAFETY VALVE

With 4 in 1 protection against malfunction, the Multi-function safety valve ensures you have the most secure bathing experience.

CAPACITY	LENGTH (mm)	HEIGHT (mm)	DEPTH (mm)	TANK LENGTH (mm)
100 LPD	2400/2200	1625/1900	1316	1055
200 LPD	2400/2200	1625/1900	2420	1830
250 LPD	2400/2200	1625/1900	2465	2200
300 LPD	2400/2200	1725/2000	3520	1660
500 LPD	2400/2200	1725/2000	4620	2850

----- WARRANTY (YEARS) ------

Inner Container 5 Collector Copper-5 Aluminium-7



Your comfort your way

SOLAR



ALPHA PLUS/ALPHA PRO

RETHINK SUSTAINABILITY

With a rustproof outer body and a High Energy Absorption Vacuum Tube, the sustainable and renewable Alpha range solar water heater is made for durability and optimum energy absorption for higher efficiency.



Available in





INOX

Specially treated inner container ensures durability and resistance against corrosion.



SMART FLOAT*

A unique float valve offered only by Racold that eliminates long air vents to ensure safe usage, particularly in high wind velocity areas.



RUST PROOF BODY

A rust proof body acts against corrosion ensuring a longer life of the product and increasing aesthetics.



HIGH ENERGY ABSORPTION **VACUUM TUBE**

Racold Vacuum Tubes are of 1800 mm length, in line with international standards ensuring optimum energy absorption and higher efficiency.



MAGNESIUM ANODE**

The water heater comes with an anode that prevents corrosion of the inner tank and thus extends its life.

PRODUCT DIMENSIONS

CAPACITY#	LENGTH (mm)	HEIGHT (mm)	DEPTH (mm)	TANK LENGTH (mm)
126 LPD	1965	1150	812	1008/1197
189 LPD	1965	1150	1212	1448/1597
252 LPD	1965	1150	1612	1888/2097
315 LPD	1965	1150	2012	2328/2647
378 LPD	1965	1150	2412	2768/3047

- WARRANTY (YEARS) -

Tank





HEAT PUMP COMMERCIAL

RETHINK SUSTAINABILITY

Our heat pump water heating solutions save upto 70%* electricity compared to conventional water heating solutions. Commercial Heat Pump Water Heaters are available from 140L per hour# (7kW) to 1030L per hour# (48kW) output capacities.



SOLAR COMMERCIAL

RETHINK SUSTAINABILITY

End-to-end technologically advanced hot water solutions for all types of commercial and hybrid applications. We have successful implementations across Residential, Hospitality, Medical & Healthcare Educational Institutes and Industrial Sectors. Applications range from hot water for bathing, laundry, swimming pool, medical equipment, cleaning, industrial cleaning and much more.

CHOOSE THE BEST WATER HEATER

PRODUCT COMPARISON		STORAGE					
Benefits	Key Features	Omnis Slim Wi-Fi	Omnis DG Wi-Fi	Omnis DG	Omnis Slim	Omnis R	
	Warranty (Product HE Tank) in Years	2 7 7	2 4 7	2 4 7	2 4 7	2 4 7	
	Titanium Plus Technology	~	V	V	V	✓	
Durability	Advanced Titanium	~					
VIA III X	Enamel Heating Element		V	V	V		
	Silver Ion Technology	V	V	V		Marie Control	
	Magnesium Anode	~	V	V	V	V	
	Auto Power Off	V	V	V		1000	
	Touch Panel + Digital Display	V	V	V			
Control	Smart Bath Logic	V	V	V	The state of		
Marine III.	Temperature Knob		L. M. S. L. C. C.		V	V	
OF TO STATE	Auto Diagnosis	~	V	V			
Safety	Children Care Mode	~	V	V	~	V	
	Safety Plus	~	V	V	~	V	
DOM: NO	Voice Control	~	V		Contract to the second		
	Racold NET App	~	V	Market Street		300000000000000000000000000000000000000	
	Scheduler, Eco, Energy Report	~	V	Mill Savarania II	Acceptable to		
Convenience	Quick Heating	~			No. of the last		
	Faster Heating			The second of the	V	1000	
	Flexomix	~	V	V	V	V	
	Power (kW)	2.5	2	2	2.5	2	
Range	Capacity (Litre), Color	25, BL	15 25, BL	10 15 25, BL SG	15 25, BL	10 15 25, GR	
	Star Rating	4 Star	5 Star	5 Star	4 Star	5 Star	
Performance	Max Operating Pressure (Bar)	8	8	8	8	8	
	Length	678	400 447	400 400 447	590 678	400 400 447	
Dimensions (in mm)	Height	358	400 447	400 400 447	316 358	400 400 447	
(in min)	Depth	358	340 401	292 340 401	326 365	292 340 401	

PRODUCT COMPARISON		STORAGE					
Benefits	Key Features	CDR DLX Plus (Vertical)	CDR DLX Plus (Horizontal)	CDR DLX (Vertical)	CDR DLX (Horizontal)		
CASA A	Warranty (Product HE Tank) in Years	2 4 7	2 4 7	2 3 7	2 3 7		
Durability	Titanium Plus Technology	V	V	V	V		
Darability	Magnesium Anode	V	V	V	V		
non con in tu	Rust Proof Body	V	V	V	V		
	Analogue Display	V	V				
Control	Temperature Knob	V	V				
Safety	Fire Retardant Cable with Plug	V	V	V	V		
#213/11V	Flexomix	~	V	V	V		
Convenience	Faster Heating						
	Slim Design Loft Friendly		V	TANK DESCRIPTION	V		
Range	Capacity (Litre), Color	10 15 25 35, WH	10 15 25 35, WH	10 15 25 35, WH IV	10 15 25 35, WH IV		
	Power (kW)	2	2	2	2		
Performance	Star Rating	5 Star	4 Star - 15L 25L 3 Star - 10L 35L	5 Star	4 Star - 15L 25L 3 Star - 10L 35L		
	Max Operating Pressure (Bar)	8	8	8	8		
	Length	320 320 367 367	450 570 831 675	320 320 367 367	450 570 831 675		
Dimensions (in mm)	Height	450 570 533 675	320 320 320 367	450 570 533 675	320 320 320 367		
(in mm)	Depth	330 330 375 375	330 330 330 375	330 330 375 375	330 330 330 375		

CHOOSE THE BEST WATER HEATER

PRODUCT COMPARISON			STORAGE					
Benefits	Key Features	CDR Swift (Vertical)	CDR Swift (Horizontal)	Platinum NXT (Vertical)	Platinum NXT (Horizontal)			
	Warranty (Product HE Tank) in Years	2 3 7	2 3 7	2 3 7	2 3 7			
B L 1114	Titanium Plus Technology	v	V	V	~			
Durability	Magnesium Anode	~	V	· · · · · · · · · · · · · · · · · · ·	V			
	Rust Proof Body	~	~	V	V			
AUTHER	Analogue Display			V	V			
Control	Temperature Knob			V	V			
Safety	Fire Retardant Cable with Plug	V	~	V	V			
Walter Street	Flexomix	V	~	V	V			
Convenience	Faster Heating	V	V	V	V			
	Slim Design Loft Friendly		~					
Range	Capacity (Litre), Color	6 10 15 25, WH	6 10, WH	50 70 100, WH	50 70 100, WH			
	Power (kW)	3	3	3	3			
Performance	Star Rating	5 Star	4 Star - 6L 3 Star -10L	5 Star - 50L 70L 4 Star - 100L	3 Star - 50L 70L 2 Star - 100L			
	Max Operating Pressure (Bar)	8	8	8	8			
	Length	290 320 320 367	405 450	496 496 496	632 806 1039			
Dimensions (in mm)	Height	405 450 570 533	290 320	632 806 1039	496 496 496			
()	Depth	300 330 330 375	300 330	521 521 521	521 521 521			

PRODUCT COMPARISON		STORAGE					
Benefits	Key Features	Altro i+ 6L	Altro i+ 3L	Altro i DN	Altro i	Pronto Neo DN	Pronto Neo
Marine.	Warranty (Product HE Tank) in Years	2 2 5	2 2 5	2 2 5	2 2 5	2 2 5	2 2 5
Durability	Anode	~		~		~	(CAYSIN'S)
	Duronox	~	11 11 20	V	17/10/20	V	
YEAR	No Back Flow	V	~	V	V	V	V
Safety	3-Pin Plug (only 3kW)	~	~	V	~		Al Maria
	Fire Retardant Cable	~	~	~	V	V	~
Convenience	Customized Application with Knob	V	~				
Convenience	Smart LED Ring	~	~	4.82			
Range	Capacity (Litre), Color	6, GR	3, GR	3, GR	1 3, GR	3, WH	1 3 5, WH
1 14 00 0	Power (kW)	3	3 4.5	3	3 4.5	3	3 4.5
Performance	Max Operating Pressure (Bar)	6.5	6.5	6.5	6.5	6.5	6.5
137633	Length	269	215	215	172 215	209	175 209 270
Dimensions (in mm)	Height	471	377	377	302 377	335	281 335 428
(111 111111)	Depth	274	220	220	177 220	205	172 205 253

NOTES

NOTES

1





Your comfort your way











Winner of Good Design Award

MARKETED BY: ARISTON GROUP INDIA PRIVATE LIMITED

1st Floor, Office No. 103, Mayfair Tower, Wakdewadi,
Shivajinagar, Pune-411005 Maharashtra, India.

Customer Care:

Email: customer.care@racold.com





© 73628 88999

© 020 67342288 © 08600256000

Address: Same as marketed by. www.racold.com

Disclaimer:

- 'Racold' brand is a registered trademark of Ariston Spa, Italy.
- Any dispute shall be subject to the exclusive jurisdiction of Pune Courts.
- Always use genuine Racold spare parts and connecting pipes.
- Always get your installation done by authorized Racold Service center only.
- Star rating obtained as per BEE guidelines.
- The images of the products are for illustration purpose only and may differ from actual product.
- Specifications are subject to change without prior notice.
- Water inside the geyser must not be pre-heated before activating the Children Care Mode.
- Free installation and pipes available only on select models in certain areas.
 Please check our website or call center for eligibility.
- All BEE star ratings are valid from 1st January, 2023 to 31st December, 2025.
- For T&C, please visit www.racold.com